

Firmware Release Notes

NF18MESH - CloudMesh Gateway



Copyright

Copyright© 2020 NetComm Wireless Limited. All rights reserved.

NetComm Wireless Limited was acquired by Casa Systems, Inc. a Delaware company on 1 July 2019. The information contained herein is proprietary to Casa Systems, Inc. No part of this document may be translated, transcribed, reproduced, in any form, or by any means without prior written consent of Casa Systems, Inc.

Trademarks and registered trademarks are the property of NetComm Wireless Limited or their respective owners. Specifications are subject to change without notice. Images shown may vary slightly from the actual product.



Note – This document is subject to change without notice.

Document history

This document covers the following product:

NF18MESH - CloudMesh Gateway

| VER. | DOCUMENT DESCRIPTION | DATE |
|------|--|-----------------|
| v1.0 | Initial document release | 30 June 2020 |
| v1.1 | Includes changes made in NF18MESH-NC.AU-R6B029 | 8 December 2020 |

Table i. - Document revision history

Contents

| | |
|-----------------------------|---|
| Firmware details | 4 |
| Version history | 4 |
| NF18MESH-NC.AU-R6B029 | 4 |
| New Features | 4 |
| Enhancements | 4 |
| NF18MESH-NC.AU-R6B027 | 5 |
| New Features | 5 |
| Enhancements | 5 |
| NF18MESH-NC.AU-R6B022 | 5 |

Firmware details

| ITEM | DESCRIPTION |
|--------------------------|----------------------------------|
| Model | NF18MESH |
| Product Name | CloudMesh Gateway |
| Date | 8 December 2020 |
| Firmware Version | NF18MESH-NC.AU-R6B029 |
| Official / Beta Firmware | Official |
| File Name | NF18MESH-NC.AU-R6B029.EN_upgrade |
| File Size | 33.8 MB |
| MD5 Checksum | FFCC8B6CCB90C66280613FDC3787B603 |

Version history

NF18MESH-NC.AU-R6B029

New Features

- Added Privacy mode support (TT 41541)
- Added Mesh support via the wired connection* (TT 41499)

Enhancements

- Fixed Guest WiFi password issue when the password is less than 8 characters (TT 41160)
- Enhanced 5GHz stability (TT 40667)
- Fixed an issue where the CPU & Memory usage page was not displaying correctly (TT 39517)
- Cosmetic update on the UPnP (TT 40190)
- Fixed a TFTP upload configure file issue on LAN and WAN connection (TT 40839)
- Enhanced the WEB GUI interface with the Mobile handset (TT 40847)
- 5GHz Guest interface to be disabled when Mesh is enabled (TT 40848)
- Updated the DNS suffix to "cloudmesh.home" (TT 40920)
- Updated the port forwarding behaviour to accept a different server IP address range (TT 41050)
- Cosmetic update on Statistic LAN page (TT 41336)
- Enhance CPE security (TT 41425)
- Address the Wireless AP steering issue* (TT 40237)

- Fixed Speedtest issue (TT41500)

* **Note** – This is only compatible with NS-01 FW 2.2.42

NF18MESH-NC.AU-R6B027

New Features

- Added a Description field on each DHCP static IP entry which is user configurable (TT 40560)
- Added hook and call status on the SIP page (TT 40596)
- Added WPS Mesh support when the gateway is not connected to the internet (TT40687)

Enhancements

- Fixed a memory issue on the 5GHz link (TT 40808)
- Updated the default settings on the Access Control page (TT40605)
- Fixed a cosmetic issue on the DHCP page where it shows entries when they have not been connected for 12 hours (TT40655)
- Fixed a cosmetic issue on the DHCP page where it could show an invalid MAC address entry (TT40656)
- Updated the default WiFi setting to allow a maximum of 32 clients on both 2.4GHz and 5GHz bands (TT40451)
- Updated the ETH WAN interface default settings to “No VLAN” and “Dynamic IP” (TT40557)
- Updated the VDSL interface default settings to “No VLAN” and “Dynamic IP” (TT440558)
- Enhanced the mesh stability when the AP changes its WiFi SSID or WiFi password (TT40514)
- Fixed an issue with the Gateway being unable to connect to a mesh network where the Satellite’s MAC address ended with E or F (TT 40698)
- Enhanced the performance of the web user interface (TT40666)
- Fixed an issue with Port forwarding rules not correctly showing their WAN interface (TT 40592)
- Fixed an issue where applying changes remotely always shows a blank page (TT 40593)
- Fixed an issue where Hide SSID on the 2.4GHz radio could not be turned off after it was turned on (TT 40597)
- Fixed a wizard issue where it would not save the VPI/VCI value if it was not 8/35 (TT40600)
- Cosmetic updates to the QoS page (TT40474)
- Cosmetic updates to the Password page (TT40601)
- Cosmetic updates to the wizard option page and SIP settings (TT 40721)
- Cosmetic updates to the DHCP option page and SIP settings (TT40495)

NF18MESH-NC.AU-R6B022

- Initial firmware release